


*The Smart Solution for Hard Water*



# AGRICULTURAL MODEL SPECIFICATION SHEET



# How Sanimax Scale Terminator works



## Sanimax Scale Terminator

### PIPE SIZE CAPACITY :

Upto any pipe size diameter. Designed for Agricultural Use

### PIPE TYPE :

Effective for all type of pipe.

### INPUT VOLTAGE/CURRENT :

5 AMP/220Vsupplied through a wall mount power supply

### INPUT POWER :

5 Watts

### OPERATING TEMPERATURE :

32° F to 130° F

### STORAGE TEMPERATURE :

10° F to 150° F

### OUTPUT VOLTAGE :

5 AMP/220V

### DESCALING METHOD :

The control box supplies a square wave signal to a coil of wire that is wrapped externally around the incoming pipeline entering the home. The signal sweeps all the frequencies from 1,000 to 20,000 Hz at a rate of 20 times a second. This produces a modulating frequency waveform that hits the resonant frequency of the calcium molecules causing them to lose its adhesiveness.

### ENCLOSURE DIMENSIONS :

14" X 12" X 7"

### ENCLOSURE MATERIAL :

made out of high-impact ABS molded plastic, Weatherproof enclosure.

### SIGNAL CABLE :

A special stranded wire, 18 - 50 feet long (according to the unit sizes) [not available in hardware stores], is included with the unit.

### WARRANTY :

30 Days Refund & Replacement Warranty, 1 Year Replacement Warranty, 10 Years Performance Warranty.

### CARTON DIMENSIONS :

16" x 14" x 9"

### Customer Care Support.

In case of any discrepancies or complaints, customer can reach to us on  
Email I'd : [info@ecosukrutam.com](mailto:info@ecosukrutam.com) / Our helpline number : 8980402374

