


The Smart Solution for Hard Water



**COMMERCIAL & INDUSTRIAL MODEL
SPECIFICATION SHEET**



How Sanimax Scale Terminator works



Sanimax Scale Terminator

PIPE SIZE CAPACITY :

Upto any pipe size diameter. Designed for commercial& Industrial use only.

PIPE TYPE :

Effective for all type of pipe.

INPUT VOLTAGE/CURRENT :

5 AMP/220Vsupplied through a wall mount power supply

INPUT POWER :

5 Watts

OUTPUT VOLTAGE :

5 AMP/220V

Circuit Protection:

Black cord and Red cord completes a circuit if lights are on check either connection or number of rotation of coil or possibilities are there is not working.

DESCALING METHOD :

The control box supplies a square wave signal to a coil of wire that is wrapped externally around the incoming pipeline entering the home. The signal sweeps all the frequencies from 1,000 to 20,000 Hz at a rate of 20 times a second. This produces a modulating frequency waveform that hits the resonant frequency of the calcium molecules causing them to lose its adhesiveness.

ENCLOSURE DIMENSIONS :

14" X 12" X 7"

ENCLOSURE MATERIAL :

made out of high-impact ABS molded plastic, Weatherproof enclosure.

SIGNAL CABLE :

A special stranded wire, 18 - 50 feet long (according to the unit sizes) [not available in hardware stores], is included with the unit.

WARRANTY :

30 Days Refund & Replacement Warranty, 1 Year Replacement Warranty, 10 Years Performance Warranty.

CARTON DIMENSIONS :

16" x 14" x 9"

Customer Care Support.

In case of any discrepancies or complaints, customer can reach to us on
Email I'd : info@ecosukrutam.com / Our helpline number : 8980402374

